ATLANTA CENTER FOR GASTROENTEROLOGY

COLYTE/GOLYTELY COLONOSCOPY PREP INSTRUCTIONS

David Rausher, MD & Cliff Parrish, MD 2665 North Decatur Road, Suite 550 Decatur, GA 30033 Phone: 404-296-1986

1) CLEAR/THIN LIQUID DIET <u>ALL DAY</u> LONG THE DAY BEFORE. All Day means ALL DAY. No breakfast or anything but CLEAR/THIN LIQUIDS all day the day prior to the Colonoscopy. Examples of Clear Liquids are Water, Black Coffee, Soda's, Apple Juice, Grape Juice, Jello, Broth Cubes, Gatorade, Tea, etc. This does **NOT** include Full Liquids like Milk, Orange Juice,

- Ice Cream, or Soups and absolutely **NO SOLID FOODS** at all. **STOP** the Clear Liquids after **~2-4am** for am procedures and **~4-5 hours** before pm procedures. **Hydration** is important the day before the Colonoscopy and drink plenty of **Clear/Thin Liquids** the day before.
- 2) You **can** go outside the house to **work** or anywhere else while on the **Clear Liquid Diet** but get home early evening for the Laxatives doses to be described below.
- 3) You will need someone to **Drive** you the day of the procedure. Most are here ~2.5-3.5 hours. We will **NOT** be able to do your Sedated Procedure without someone here to drive you home or to **be with you** if you take other transportation such as Uber or Bus. We **strongly** recommend they stay close in the immediate area during your procedure.
- 4) If you are on **Insulin** or a **Blood Thinner** stronger than Aspirin, then ask your MD about instructions on these medications **well before** the Colonoscopy so we can adjust them. Hold NSAID meds like Advil, Aleve, Motrin, Meloxicam, etc for 4-5 days prior to the procedure.

DATE OF PROCEDURE	_ Check in to our Main Office Desk in Suite 550 .
TENTATIVE TIME TO COME TO OFFICE_ will call you 1-3 days prior to tell you the ex	act time to show up for the Colonoscopy)
Colyte/Golytely PREP INSTRUCTIONS (<u>DISREGARD</u> any instructions inside package & <u>follow instructions below</u>). Buy 1 bottle Magnesium Citrate OR Dulcolax Tablets at store. Then take either 1 Bottle Magnesium Citrate OR 4 Dulcolax Tablets atthe day prior to the Colonoscopy.	
In am day before mix contents of the 4 Literative 1/2 the jug over about 2 hours -glass every	r jug with water & chill in refrigerator. Then drink 15-30 minutes starting
Drink the other 1/2 of the 4 Liter jug over ab	oout 2 hours - glass every 15-30 minutes starting

See opposite page for **Tap Water Enema** instructions. Do Enema's **1-3 hours** prior to coming in for your Colonoscopy. **Cancellation** of Colonoscopy must be received at least **72 hours** before to avoid a **\$100 no show fee**. Please be considerate of other patients who may need your slot. We need to know early in order to schedule them.